

Certificate of Analysis

Produced: Jul 23, 2026

Sample: Appleberry Nectar (Edible Solid) • Client: The Pack Label Inc • Batch: Pass



Matrix: Edible Solid
Sample ID: ICC-260716-26-004
Collected on: Jul 16, 2026
Received on: Jul 16, 2026
Batch Size:
Sample Size:
Package Size: 52.10 g
Serving Size: 5.21 g

Batch Result: Pass

Potency	Tested	Mycotoxins	Pass
Solvents	Pass	Pesticides	Pass
Metals	Pass	Foreign	Pass
Microbial	Pass		

Cannabinoid Overview

Δ ⁹ -THC:	12.0 mg/srv
CBD:	19.4 mg/srv
Total Cannabinoids:	74.0 mg/srv
Sum of Cannabinoids:	74.2 mg/srv



Signature

Signature

Cannabinoids

Analyte	Amt (mg/srv)	Amt (mg/pkg)	Amt (%)	Amt (mg/g)	LOD/LOQ (mg/g)	Pass/Fail	Analyte	Amt (mg/srv)	Amt (mg/pkg)	Amt (%)	Amt (mg/g)	LOD/LOQ (mg/g)	Pass/Fail
9R-HHC ²	26.9	269	0.516	5.16	0.00248/0.0794	N/A	CBNA ¹			ND	ND	0.0140/0.0420	N/A
9S-HHC ²	9.69	96.9	0.186	1.86	0.00421/0.0817	N/A	CBT ¹			ND	ND	0.0118/0.0412	N/A
CBC ¹			ND	ND	0.0272/0.0815	N/A	Δ ⁸ -THC ¹	1.82	18.2	0.0349	0.349	0.00666/0.0412	N/A
CBCA ¹			ND	ND	0.0382/0.115	N/A	Δ ⁸ -THC-O-acetate ²			ND	ND	0.00306/0.0896	N/A
CBCV ¹			ND	ND	0.0118/0.0412	N/A	Δ ⁸ -THCP ²			ND	ND	0.00684/0.0909	N/A
CBD ¹	19.4	194	0.372	3.72	0.00831/0.0412	N/A	Δ ⁸ -THCV ²			ND	ND	0.00173/0.0901	N/A
CBDA ¹			ND	ND	0.0199/0.0596	N/A	Δ ⁹ -THC ¹	12.0	120	0.230	2.30	0.0110/0.0412	N/A
CBDB ²			ND	ND	0.00373/0.0930	N/A	Δ ⁹ -THC-O-acetate ²			ND	ND	0.00281/0.0902	N/A
CBDP ²			ND	ND	0.00324/0.0928	N/A	Δ ⁹ -THCP ²			ND	ND	0.00483/0.0918	N/A
CBDV ¹			ND	ND	0.00659/0.0412	N/A	HHC-O-acetate ²			ND	ND	0.00509/0.0834	N/A
CBDVA ¹			ND	ND	0.0216/0.0648	N/A	THCA ¹			ND	ND	0.0151/0.0454	N/A
CBE ²			ND	ND	0.00441/0.0932	N/A	THCV ¹			ND	ND	0.00509/0.0412	N/A
CBG ¹	2.15	21.5	0.0412	0.412	0.00939/0.0412	N/A	THCVA ¹			ND	ND	0.0164/0.0494	N/A
CBGA ¹			ND	ND	0.0147/0.0440	N/A	THD ²			ND	ND	0.00322/0.0864	N/A
CBL ¹			ND	ND	0.00649/0.0412	N/A	Total CBD ^{1**}	19.4	194	0.372	3.72		N/A
CBLA ¹			ND	ND	0.0900/0.270	N/A	Total THC ^{1**}	13.8	138	0.265	2.65		N/A
CBN ¹	2.28	22.8	0.0438	0.438	0.00939/0.0412	N/A	Total Cannabinoids ^{**}	74.2	742	1.42	14.2		N/A

¹ POT-INST-005, POT-PREP-002: POT-INST-005, POT-PREP-002: Expanded Potency // Jul 20, 2026
² POT-INST-005, POT-PREP-002: POT-INST-005, POT-PREP-002: Comprehensive Cannabinoids // Jul 20, 2026
** Total Cannabinoids = Neutral Cannabinoids + (Acidic Cannabinoids * 0.877)
** Total THC = (THCA x 0.877) + Delta-9-THC
** Total CBD = (CBDA x 0.877) + CBD

NR= Not Reported, ND= Not Detected, *Reported by Dry Mass*; *analytical instrumentation used Cannabinoids: UHPLC-DAD, Moisture: Mass by Drying, Water Activity: Water Activity Meter, Foreign: Microscope*
*Density tested at a temperature range between 19-24 °C, *Water Activity tested at a humidity range between 0-90% Relative Humidity. All OA samples are sampled by the client, All California State Compliant samples sampled using SAMPL-SOP-001.

Utah RS-INST-003, Utah RS-PREP-001: Utah RS-INST-003, Utah RS-THCP-001: Comprehensive Residual Solvents by GC-MS • Jul 21, 2026

Analyte	Limit (µg/g)	Amt (µg/g)	LOD/LOQ (µg/g)	Pass/Fail	Analyte	Limit (µg/g)	Amt (µg/g)	LOD/LOQ (µg/g)	Pass/Fail
1,1-Dichloroethylene	8	ND	0.0370/0.111	Pass	Ethanol	5000	ND	1.18/3.54	Pass
1,2-Dichloroethane	2	ND	0.0841/0.252	Pass	Ethyl acetate	400	ND	0.247/0.741	Pass
1,2-Dimethoxyethane	100	ND	0.613/1.84	Pass	Ethylbenzene	150	ND	0.368/1.10	Pass
1,4-Dioxane	380	ND	0.643/1.93	Pass	Ethylene glycol	620	ND	0.451/1.35	Pass
1-Butanol	5000	ND	0.269/0.808	Pass	Ethylene oxide	5	ND	0.392/1.18	Pass
1-Pentanol	5000	ND	0.222/0.666	Pass	Ethyl ether	500	ND	0.275/0.826	Pass
2,2-Dimethylbutane	290	ND	0.326/0.979	Pass	Heptane	5000	ND	0.240/0.718	Pass
2,3-Dimethylbutane	290	ND	0.376/1.13	Pass	Hexane	250	ND	0.364/1.09	Pass
2-Butanol	5000	ND	4.53/13.6	Pass	Isopropyl acetate	5000	ND	0.930/2.79	Pass
2-Butanone	5000	ND	1.12/3.35	Pass	Methanol	250	ND	21.4/64.2	Pass
2-Ethoxyethanol	160	ND	0.507/1.52	Pass	Methylpropane	5000	ND	1.81/5.42	Pass
2-Methylbutane	5000	ND	0.482/1.45	Pass	N,N-Dimethylacetamide	1090	ND	2.29/6.87	Pass
2-Methylpentane	290	ND	0.232/0.697	Pass	N,N-Dimethylformamide	880	ND	0.361/1.08	Pass
2-Propanol	500	ND	0.428/1.28	Pass	Pentane	750	ND	3.33/10.0	Pass
3-Methylpentane	290	ND	0.230/0.691	Pass	Propane	5000	ND	1.57/4.71	Pass
Acetone	750	ND	5.82/17.5	Pass	Propanol	5000	ND	5.17/15.5	Pass
Acetonitrile	60	ND	4.89/14.7	Pass	Pyridine	100	ND	0.190/0.570	Pass
Benzene	1	ND	0.202/0.607	Pass	Sulfolane	160	ND	6.75/20.2	Pass
Butane	5000	ND	0.587/1.76	Pass	Tetrahydrofuran	720	ND	0.626/1.88	Pass
Chloroform	2	ND	0.139/0.417	Pass	Toluene	150	ND	0.163/0.490	Pass
Cumene	70	ND	0.213/0.639	Pass	Trichloroethylene	25	ND	2.69/8.08	Pass
Cyclohexane	3880	ND	5.01/15.0	Pass	o-Xylene	150	ND	0.113/0.338	Pass
Dichloromethane	600	ND	0.289/0.867	Pass	p- and m-Xylene	150	ND	0.0681/0.204	Pass
Dimethyl sulfoxide	5000	ND	0.670/2.01	Pass					

Compliance requirements for this test are taken from UT-FL-comprehensive Cannabis/Hemp (Based on Submission Type) regulations.

HM-INST-003, HM-PREP-001: HM-INST-003, HM-PREP-001: Heavy Metals Testing by ICP-MS • Jul 21, 2026

Analyte	Limit (µg/g)	Amt (µg/g)	LOD/LOQ (µg/g)	Pass/Fail	Analyte	Limit (µg/g)	Amt (µg/g)	LOD/LOQ (µg/g)	Pass/Fail
Arsenic	1.5	< LOQ	0.00300/0.00900	Pass	Lead	0.5	< LOQ	0.00100/0.00400	Pass
Cadmium	0.5	ND	0.00100/0.00200	Pass	Mercury	3	ND	0.00500/0.0140	Pass

Compliance requirements for this test are taken from CA Cannabis/Hemp (Based on Submission Type) regulations.



[Signature]

[Signature]

HM-INST-003, HM-PREP-001: HM-INST-003, HM-PREP-001: Additional Heavy Metals Testing by ICP-MS • Jul 21, 2026

Analyte	Limit	Amt (µg/g)	LOD/LOQ (µg/g)	Pass/Fail	Analyte	Limit	Amt (µg/g)	LOD/LOQ (µg/g)	Pass/Fail
Antimony		ND	0.00695/0.0208	N/A	Copper		0.0736	0.0109/0.0326	N/A
Chromium		0.0333	0.00926/0.0278	N/A	Nickel		0.0192	0.00517/0.0155	N/A

Compliance requirements for this test are taken from CA Cannabis/Hemp (Based on Submission Type) regulations.

MICRO-INST-001, MICRO-PREP-001: MICRO-INST-001, MICRO-PREP-001: PCR-Microbial (inhalable) • Jul 20, 2026

Analyte	Limit	Amt	Pass/Fail	Analyte	Limit	Amt	Pass/Fail
Aspergillus flavus		ND	N/A	Aspergillus terreus		ND	N/A
Aspergillus fumigatus		ND	N/A	Salmonella spp.	Any amt in 1 gram	ND	Pass
Aspergillus niger		ND	N/A	Shiga toxin-producing E. coli	Any amt in 1 gram	ND	Pass

Compliance requirements for this test are taken from CA Cannabis/Hemp (Based on Submission Type) regulations.

Petrifilm-Listeria • Jul 22, 2026

Analyte	Limit	Amt	Pass/Fail
Listeria spp.		ND	N/A

Compliance requirements for this test are taken from CA Cannabis/Hemp (Based on Submission Type) regulations.

Petrifilm-Enterobacteriaceae • Jul 23, 2026

Analyte	Limit	Amt	Pass/Fail
Enterobacteriaceae		ND	N/A

Compliance requirements for this test are taken from CA Cannabis/Hemp (Based on Submission Type) regulations.

MICR-001, MICR-003: MICR-001, MICR-003: Petrifilm-Aerobic • Jul 23, 2026

Analyte	Limit (CFU/g)	Amt (CFU/g)	Pass/Fail
Aerobic Bacteria	10000	ND	Pass

Compliance requirements for this test are taken from CO Hemp regulations.

MICR-001, MICR-003: MICR-001, MICR-003: Petrifilm-Coliforms • Jul 23, 2026

Analyte	Limit (CFU/g)	Amt (CFU/g)	Pass/Fail
Coliforms	100	ND	Pass

Compliance requirements for this test are taken from CO Hemp regulations.

Petrifilm-E. Coli • Jul 23, 2026

Analyte	Limit	Amt	Pass/Fail
Escherichia coli		ND	N/A

Compliance requirements for this test are taken from CA Cannabis/Hemp (Based on Submission Type) regulations.

MICR-004, MICR-006: MICR-004, MICR-006: Petrifilm-Rapid Yeast & Mold • Jul 23, 2026

Analyte	Limit (CFU/g)	Amt (CFU/g)	Pass/Fail
Yeast & Mold	1000	ND	Pass

Compliance requirements for this test are taken from CO Hemp regulations.

PESTMYCO-LC-INST-004, PESTMYCO-LC-PREP-001: PESTMYCO-LC-INST-004, PESTMYCO-LC-PREP-001: Mycotoxin Analysis by LC-MS/MS • Jul 20, 2026

Analyte	Limit (µg/kg)	Amt (µg/kg)	LOD/LOQ (µg/kg)	Pass/Fail	Analyte	Limit (µg/kg)	Amt (µg/kg)	LOD/LOQ (µg/kg)	Pass/Fail
Aflatoxin B1		ND	1.06/3.19	N/A	Aflatoxin G2		ND	0.722/2.46	N/A
Aflatoxin B2		ND	0.922/2.77	N/A	Aflatoxins	20	ND		Pass
Aflatoxin G1		ND	2.33/7.00	N/A	Ochratoxin A	20	ND	3.87/11.7	Pass

Compliance requirements for this test are taken from CA Cannabis/Hemp (Based on Submission Type) regulations.



[Signature]

[Signature]

PEST-GC-INST-003, PEST-GC-PREP-001: PEST-GC-INST-003, PEST-GC-PREP-001: Pesticide Analysis by GC-MS/MS • Jul 20, 2026

Analyte	Limit (µg/g)	Amt (µg/g)	LOD/LOQ (µg/g)	Pass/Fail	Analyte	Limit (µg/g)	Amt (µg/g)	LOD/LOQ (µg/g)	Pass/Fail
Captan	5	ND	0.120/0.358	Pass	Cypermethrin	1	ND	0.0145/0.0435	Pass
Chlordane	Any amt	ND	0.0249/0.0747	Pass	Methyl parathion	Any amt	ND	0.00811/0.0243	Pass
Chlorfenapyr	Any amt	ND	0.0251/0.0753	Pass	Pentachloronitrobenzene	0.2	ND	0.0182/0.0545	Pass
Cyfluthrin	1	ND	0.0186/0.0558	Pass					

Compliance requirements for this test are taken from CA Cannabis/Hemp (Based on Submission Type) regulations.

PESTMYCO-LC-INST-004, PESTMYCO-LC-PREP-001: PESTMYCO-LC-INST-004, PESTMYCO-LC-PREP-001: Pesticide Analysis by LC-MS/MS • Jul 20, 2026

Analyte	Limit (µg/g)	Amt (µg/g)	LOD/LOQ (µg/g)	Pass/Fail	Analyte	Limit (µg/g)	Amt (µg/g)	LOD/LOQ (µg/g)	Pass/Fail
Abamectin	0.3	ND	0.0500/0.100	Pass	Imazalil	Any amt	ND	0.0156/0.0474	Pass
Acephate	5	ND	0.0164/0.0497	Pass	Imidacloprid	3	ND	0.0235/0.0711	Pass
Acequinocyl	4	ND	0.0194/0.0587	Pass	Kresoxim-methyl	1	ND	0.0125/0.0379	Pass
Acetamiprid	5	ND	0.0146/0.0442	Pass	Malathion	5	ND	0.0117/0.0354	Pass
Aldicarb	Any amt	ND	0.0216/0.0654	Pass	Metalaxyl	15	ND	0.0101/0.0306	Pass
Azoxystrobin	40	ND	0.00960/0.0291	Pass	Methiocarb	Any amt	ND	0.0156/0.0473	Pass
Bifenazate	5	ND	0.0115/0.0349	Pass	Methomyl	0.1	ND	0.0158/0.0479	Pass
Bifenthrin	0.5	ND	0.0130/0.0395	Pass	Mevinphos	Any amt	ND	0.0139/0.0423	Pass
Boscalid	10	ND	0.0197/0.0596	Pass	Myclobutanil	9	ND	0.0180/0.0546	Pass
Carbaryl	0.5	ND	0.0160/0.0486	Pass	Naled	0.5	ND	0.0170/0.0514	Pass
Carbofuran	Any amt	ND	0.00902/0.0300	Pass	Oxamyl	0.2	ND	0.0153/0.0465	Pass
Chlorantraniliprole	40	ND	0.0209/0.0632	Pass	Paclobutrazol	Any amt	ND	0.0132/0.0400	Pass
Chlorpyrifos	Any amt	ND	0.0176/0.0534	Pass	Permethrin	20	ND	0.00831/0.0300	Pass
Clofentezine	0.5	ND	0.0129/0.0389	Pass	Phosmet	0.2	ND	0.0125/0.0377	Pass
Coumaphos	Any amt	ND	0.0185/0.0559	Pass	Piperonylbutoxide	8	ND	0.00759/0.0300	Pass
Daminozide	Any amt	ND	0.0261/0.0791	Pass	Prallethrin	0.4	ND	0.0226/0.0685	Pass
Diazinon	0.2	ND	0.00645/0.0300	Pass	Propiconazole	20	ND	0.0195/0.0590	Pass
Dichlorvos	Any amt	ND	0.0223/0.0674	Pass	Propoxur	Any amt	ND	0.0155/0.0471	Pass
Dimethoate	Any amt	ND	0.0118/0.0356	Pass	Pyrethrins	1	ND	0.00431/0.0300	Pass
Dimethomorph	20	ND	0.0137/0.0416	Pass	Pyridaben	3	ND	0.0115/0.0350	Pass
Ethoprophos	Any amt	ND	0.0174/0.0528	Pass	Spinetoram	3	ND	0.00639/0.0300	Pass
Etofenprox	Any amt	ND	0.00849/0.0300	Pass	Spinosad	3	ND	0.00410/0.0300	Pass
Etoxazole	1.5	ND	0.00783/0.0300	Pass	Spiromesifen	12	ND	0.0137/0.0416	Pass
Fenhexamid	10	ND	0.0129/0.0392	Pass	Spirotetramat	13	ND	0.0134/0.0407	Pass
Fenoxycarb	Any amt	ND	0.0144/0.0435	Pass	Spiroxamine	Any amt	ND	0.0106/0.0320	Pass
Fenpyroximate	2	ND	0.00972/0.0300	Pass	Tebuconazole	2	ND	0.0144/0.0437	Pass
Fipronil	Any amt	ND	0.0148/0.0447	Pass	Thiacloprid	Any amt	ND	0.0139/0.0421	Pass
Flonicamid	2	ND	0.0268/0.0811	Pass	Thiamethoxam	4.5	ND	0.0181/0.0549	Pass
Fludioxonil	30	ND	0.0153/0.0464	Pass	Trifloxystrobin	30	ND	0.0102/0.0310	Pass
Hexythiazox	2	ND	0.0257/0.0778	Pass					

Compliance requirements for this test are taken from CA Cannabis/Hemp (Based on Submission Type) regulations.

PEST-GC-INST-003, PEST-GC-PREP-001: PEST-GC-INST-003, PEST-GC-PREP-001: Colorado Pesticides by GC-MS/MS • Jul 20, 2026

Analyte	Limit (µg/g)	Amt (µg/g)	LOD/LOQ (µg/g)	Pass/Fail	Analyte	Limit (µg/g)	Amt (µg/g)	LOD/LOQ (µg/g)	Pass/Fail
α-Endosulfan	0.353	ND	0.118/0.353	Pass	Iprodione	0.475	ND	0.158/0.475	Pass
β-Endosulfan	0.239	ND	0.0797/0.239	Pass	Kinoprene	0.221	ND	0.0738/0.221	Pass
Chlorfenapyr	0.0244	ND	0.00814/0.0244	Pass	Methyl parathion	0.0257	ND	0.00857/0.0257	Pass
Cyfluthrin	0.0384	ND	0.0128/0.0384	Pass	MGK-264	Any amt	ND		Pass
Cypermethrin	0.0525	ND	0.0175/0.0525	Pass	MGK-264 I		ND	0.00152/0.00457	N/A
Endosulfan sulfate	0.0257	ND	0.00856/0.0257	Pass	MGK-264 II		ND	0.00392/0.0118	N/A
Etridiazole	0.0441	ND	0.0147/0.0441	Pass	Quintozene	0.016	ND	0.00533/0.0160	Pass
Fenvalerate	0.402	ND	0.134/0.402	Pass					

Compliance requirements for this test are taken from CO Hemp regulations.



[Signature]

[Signature]

PESTMYCO-LC-INST-004, PESTMYCO-LC-PREP-001: PESTMYCO-LC-INST-004, PESTMYCO-LC-PREP-001: Colorado Pesticides by LC-MS/MS • Jul 20, 2026

Analyte	Limit (µg/g)	Amt (µg/g)	LOD/LOQ (µg/g)	Pass/Fail	Analyte	Limit (µg/g)	Amt (µg/g)	LOD/LOQ (µg/g)	Pass/Fail
Abamectin	0.1	ND	0.0500/0.100	Pass	Hexythiazox	0.03	ND	0.0100/0.0300	Pass
Acephate	0.03	ND	0.0100/0.0300	Pass	Imazalil	0.01	ND	0.00500/0.0100	Pass
Acequinocyl	0.075	ND	0.0200/0.0750	Pass	Imidacloprid	0.01	ND	0.00500/0.0100	Pass
Acetamiprid	0.03	ND	0.0100/0.0300	Pass	Kresoxim-methyl	0.03	ND	0.0100/0.0300	Pass
Aldicarb	0.03	ND	0.0100/0.0300	Pass	Malathion	0.01	ND	0.00500/0.0100	Pass
Allethrin	0.03	ND	0.0150/0.0300	Pass	Metalaxyl	0.01	ND	0.00500/0.0100	Pass
Atrazine	0.005	ND	0.00500/0.00500	Pass	Methiocarb	0.01	ND	0.00500/0.0100	Pass
Azadirachtin	0.05	ND	0.0300/0.0500	Pass	Methomyl	0.025	ND	0.0100/0.0250	Pass
Azoxystrobin	0.01	ND	0.00500/0.0100	Pass	Methoprene	0.05	ND	0.0250/0.0500	Pass
Benzovindiflupyr	0.005	ND	0.00500/0.00500	Pass	Mevinphos	0.025	ND	0.0100/0.0250	Pass
Bifenazate	0.01	ND	0.00500/0.0100	Pass	Myclobutanil	0.01	ND	0.00500/0.0100	Pass
Bifenthrin	0.03	ND	0.00500/0.0300	Pass	Naled	0.03	ND	0.0200/0.0300	Pass
Boscalid	0.01	ND	0.00500/0.0100	Pass	Novaluron	0.02	ND	0.0100/0.0200	Pass
Buprofezin	0.03	ND	0.0150/0.0300	Pass	Oxamyl	0.03	ND	0.0200/0.0300	Pass
Carbaryl	0.025	ND	0.0100/0.0250	Pass	Paclobutrazol	0.01	ND	0.00500/0.0100	Pass
Carbofuran	0.01	ND	0.00500/0.0100	Pass	Permethrin	0.03	ND	0.00831/0.0300	Pass
Chlorantraniliprole	0.03	ND	0.0100/0.0300	Pass	Phenothrin	0.03	ND	0.0150/0.0300	Pass
Chlorpyrifos	0.075	ND	0.0100/0.0750	Pass	Phosmet	0.03	ND	0.0200/0.0300	Pass
Clofentezine	0.01	ND	0.00500/0.0100	Pass	Piperonylbutoxide	0.03	ND	0.0100/0.0300	Pass
Clothianidin	0.01	ND	0.00500/0.0100	Pass	Pirimicarb	0.01	ND	0.00500/0.0100	Pass
Coumaphos	0.01	ND	0.00500/0.0100	Pass	Prallethrin	0.075	ND	0.0300/0.0750	Pass
Cyantraniliprole	0.01	ND	0.00500/0.0100	Pass	Propiconazole	0.03	ND	0.0100/0.0300	Pass
Cyhalothrin lambda	0.05	ND	0.0300/0.0500	Pass	Propoxur	0.01	ND	0.00500/0.0100	Pass
Cyprodinil	0.01	ND	0.00500/0.0100	Pass	Pyraclostrobin	0.01	ND	0.00500/0.0100	Pass
Daminozide	0.075	ND	0.0500/0.0750	Pass	Pyrethrins	0.03	ND	0.00431/0.0300	Pass
Demethrin	0.05	ND	0.0250/0.0500	Pass	Pyridaben	0.02	ND	0.0100/0.0200	Pass
Diazinon	0.03	ND	0.0100/0.0300	Pass	Pyriproxyfen	0.01	ND	0.00500/0.0100	Pass
Dichlorvos	0.05	ND	0.0200/0.0500	Pass	Resmethrin	0.05	ND	0.0250/0.0500	Pass
Dimethoate	0.01	ND	0.00500/0.0100	Pass	Spinetoram	0.03	ND	0.00639/0.0300	Pass
Dimethomorph	0.03	ND	0.0100/0.0300	Pass	Spinosad	0.03	ND	0.00410/0.0300	Pass
Dinotefuran	0.05	ND	0.0250/0.0500	Pass	Spirodiclofen	0.05	ND	0.0250/0.0500	Pass
Diuron	0.01	ND	0.00500/0.0100	Pass	Spiromesifen	0.03	ND	0.0100/0.0300	Pass
Dodemorph	0.02	ND	0.0100/0.0200	Pass	Spirotetramat	0.01	ND	0.00500/0.0100	Pass
Ethoprophos	0.01	ND	0.00500/0.0100	Pass	Spiroxamine	0.03	ND	0.0200/0.0300	Pass
Etofenprox	0.03	ND	0.0100/0.0300	Pass	Tebuconazole	0.01	ND	0.00500/0.0100	Pass
Etoxazole	0.03	ND	0.0100/0.0300	Pass	Tebufenozide	0.01	ND	0.00500/0.0100	Pass
Fenhexamid	0.045	ND	0.0200/0.0450	Pass	Teflubenzuron	0.02	ND	0.0100/0.0200	Pass
Fenoxycarb	0.01	ND	0.00500/0.0100	Pass	Tetrachlorvinphos	0.01	ND	0.00500/0.0100	Pass
Fenpyroximate	0.03	ND	0.0100/0.0300	Pass	Tetramethrin	0.05	ND	0.0250/0.0500	Pass
Fensulfothion	0.01	ND	0.00500/0.0100	Pass	Thiabendazole	0.01	ND	0.00500/0.0100	Pass
Fenthion	0.0068	ND	0.00227/0.00680	Pass	Thiacloprid	0.01	ND	0.00500/0.0100	Pass
Fipronil	0.01	ND	0.00500/0.0100	Pass	Thiamethoxam	0.01	ND	0.00500/0.0100	Pass
Flonicamid	0.025	ND	0.0100/0.0250	Pass	Thiophanate-methyl	0.02	ND	0.0100/0.0200	Pass
Fludioxonil	0.01	ND	0.00500/0.0100	Pass	Trifloxystrobin	0.01	ND	0.00500/0.0100	Pass
Fluopyram	0.005	ND	0.00500/0.00500	Pass					

Compliance requirements for this test are taken from CO Hemp regulations.

PESTMYCO-LC-INST-004, PESTMYCO-LC-PREP-001: PESTMYCO-LC-INST-004, PESTMYCO-LC-PREP-001: Chlormequat by LC MS-MS • Jul 20, 2026

Analyte	Limit	Amt (µg/g)	LOD/LOQ (µg/g)	Pass/Fail
Chlormequat chloride		ND	0.00862/0.0259	N/A

Compliance requirements for this test are taken from CA Cannabis/Hemp (Based on Submission Type) regulations.



[Signature]

[Signature]