

Jellyhole THCA Magno

Sample ID: SA-260805-84670
 Batch: JHMTQ3
 Type: Finished Product - Inhalable
 Matrix: Plant - Preroll
 Unit Mass (g):
 Expiration Date:

Received: 08/04/2026
 Completed: 08/04/2026

Manufacturer
Client

MUNCHIES!
 1327 E. 15th Street #C
 Los Angeles, CA 90021
 USA



Summary

Test	Date	Status
Cannabinoids	07/08/2026	Tested
Moisture	07/08/2026	Tested
Prohibited Substances by HS-GC-MS	07/18/2026	Tested
Vitamin E Acetate	07/20/2026	Tested
Foreign Matter	07/31/2026	Tested
Heavy Metals	08/04/2026	Tested
Microbials	07/20/2026	Tested
Mycotoxins	07/17/2026	Tested
Pesticides	07/17/2026	Tested
Residual Solvents	07/18/2026	Tested

The current and valid permit number for the facility issued by the client's regulatory entity is stated above, indicating that the facility meets the human health or food safety sanitization requirements of FDACS as evidenced by the valid permit number.

16.3 %	18.4 %	38.3 %	6.61 %	Not Detected	Yes
Total Δ9-THC	Δ9-THCA	Total Cannabinoids	Moisture Content	Foreign Matter	Internal Standard Normalization

Cannabinoids by HPLC-PDA and GC-MS/MS

Analyte	LOD (%)	LOQ (%)	MU	Result (% dry)	Result (mg/g dry)
CBC	0.00095	0.0028	9.7%	0.116	1.16
CBCA	0.00181	0.0054	9.7%	0.383	3.83
CBCV	0.0006	0.0018	9.7%	ND	ND
CBD	0.00081	0.0024	9.7%	0.500	5.00
CBDA	0.00043	0.0013	9.7%	3.45	34.5
CBDB	0.0133	0.04		ND	ND
CBD-C8	0.0133	0.04		ND	ND
CBDH	0.0133	0.04		ND	ND
CBDP	0.0133	0.04		ND	ND
CBDV	0.00061	0.0018	6.9%	ND	ND
CBDA	0.00021	0.0006	9.7%	ND	ND
CBD diacetate	0.0133	0.04	6.4%	ND	ND
CBG	0.00057	0.0017	9.7%	0.381	3.81
CBGA	0.00049	0.0015	9.7%	7.01	70.1
CBG diacetate	0.0133	0.04	6.1%	ND	ND
CBL	0.00112	0.0033	9.7%	ND	ND
CBLA	0.00124	0.0037	9.7%	ND	ND
CBN	0.00056	0.0017	9.7%	0.0813	0.813
CBN acetate	0.0133	0.04	6.8%	ND	ND
CBNA	0.0006	0.0018	9.7%	0.270	2.70
CBNP	0.0133	0.04	5.6%	ND	ND
CBT	0.0018	0.0054	9.7%	ND	ND
Δ4,8-iso-THC	0.0133	0.04	6.6%	<LOQ	<LOQ
Δ6a,10a-THC	0.0133	0.04	6.3%	0.273	2.73
Δ8-iso-THC	0.0133	0.04	4.9%	ND	ND

Cannabinoid results continued on next page...



Generated By: Cindy Juett
 Business Administrator
 Date: 08/05/2026



Jellyhole THCA Magno

Sample ID: SA-260805-84670
 Batch: JHMTQ3
 Type: Finished Product - Inhalable
 Matrix: Plant - Preroll
 Unit Mass (g):
 Expiration Date:

Received: 08/04/2026
 Completed: 08/04/2026

Manufacturer
Client

MUNCHIES!
 1327 E. 15th Street #C
 Los Angeles, CA 90021
 USA

Analyte	LOD (%)	LOQ (%)	MU	Result (% dry)	Result (mg/g dry)
Δ8-THC	0.00104	0.0031	9.7%	0.0196	0.196
Δ8-THC acetate	0.0133	0.04	5.6%	ND	ND
Δ8-THCB	0.0133	0.04		ND	ND
Δ8-THC-C8	0.0133	0.04		ND	ND
Δ8-THCH	0.0133	0.04		ND	ND
Δ8-THCP	0.0133	0.04	6.4%	ND	ND
Δ8-THCV	0.0133	0.04	5.6%	ND	ND
Δ9-THC	0.00076	0.0023	9.7%	0.217	2.17
Δ9-THC acetate	0.0133	0.04	6.5%	ND	ND
Δ9-THCA	0.00084	0.0025	9.7%	18.4	184
Δ9-THCB	0.0133	0.04		ND	ND
Δ9-THC-C8	0.0133	0.04		ND	ND
Δ9-THCH	0.0133	0.04		ND	ND
Δ9-THCP	0.0133	0.04	6.4%	0.0487	0.487
Δ9-THCV	0.00069	0.0021	9.7%	ND	ND
Δ9-THCVA	0.00062	0.0019	9.7%	0.0809	0.810
(6aR,9R)-Δ10-THC	0.0133	0.04	6.9%	<LOQ	<LOQ
(6aR,9S)-Δ10-THC	0.0133	0.04	5.4%	ND	ND
exo-THC	0.0133	0.04	6.9%	ND	ND
(6aR,9R,10aR)-HHC	0.0133	0.04	6.6%	5.89	58.9
(6aR,9S,10aR)-HHC	0.0133	0.04	6.3%	1.19	11.9
(6aR,9R,10aR)-HHC acetate	0.0133	0.04	6.6%	ND	ND
(6aR,9S,10aR)-HHC acetate	0.0133	0.04	6.7%	ND	ND
Total Δ9-THC				16.3258	163
Total				38.3	383

ND = Not Detected; NT = Not Tested; UA = Unsuitable for Analysis; NR = Sample matrix interference present which may affect accuracy of results; LOD = Limit of Detection; LOQ = Limit of Quantitation; RL = Reporting Limit; Δ = Delta; Total Δ9-THC = Δ9-THCA * 0.877 + Δ9-THC; Total CBD = CBDA * 0.877 + CBD;

The reported expanded measurement uncertainty (MU) is stated as the combined standard measurement uncertainty multiplied by a combined measurement uncertainty factor (e.g., k = 2) such that the coverage probability corresponds to 95%



Generated By: Cindy Juett
 Business Administrator
 Date: 08/05/2026



Tested By: Kelsey Rogers
 Senior Scientist
 Date: 07/08/2026



ISO/IEC 17025:2017 Accredited
 Accreditation #108651



Jellyhole THCA Magno

Sample ID: SA-260805-84670
 Batch: JHMTQ3
 Type: Finished Product - Inhalable
 Matrix: Plant - Preroll
 Unit Mass (g):
 Expiration Date:

Received: 08/04/2026
 Completed: 08/04/2026

Manufacturer
Client

MUNCHIES!
 1327 E. 15th Street #C
 Los Angeles, CA 90021
 USA

Heavy Metals by ICP-MS

Analyte	LOD (ppm)	LOQ (ppm)	MU	Result (ppm)
Arsenic	0.002	0.02	19%	<RL
Cadmium	0.002	0.02	8.6%	<LOQ
Lead	0.005	0.05	23%	<RL
Mercury	0.005	0.01	30%	ND

ND = Not Detected; NT = Not Tested; UA = Unsuitable for Analysis; NR = Sample matrix interference present which may affect accuracy of results; LOD = Limit of Detection; LOQ = Limit of Quantitation; P = Pass; F = Fail; RL = Reporting Limit; Values over action limits may be estimates

The reported expanded measurement uncertainty (MU) is stated as the combined standard measurement uncertainty multiplied by a combined measurement uncertainty factor (e.g., $k = 2$) such that the coverage probability corresponds to 95%



Generated By: Cindy Juett
 Business Administrator
 Date: 08/05/2026



Tested By: Annie Velazquez
 Assistant Scientist
 Date: 08/04/2026



Jellyhole THCA Magno

Sample ID: SA-260805-84670
 Batch: JHMTQ3
 Type: Finished Product - Inhalable
 Matrix: Plant - Preroll
 Unit Mass (g):
 Expiration Date:

Received: 08/04/2026
 Completed: 08/04/2026

Manufacturer
Client

MUNCHIES!
 1327 E. 15th Street #C
 Los Angeles, CA 90021
 USA

Pesticides by LC-MS/MS and GC-MS/MS

Analyte	LOD (ppb)	LOQ (ppb)	MU	Result (ppb)	Analyte	LOD (ppb)	LOQ (ppb)	MU	Result (ppb)
Abamectin	30	100	120%	ND	Hexythiazox	30	100	71%	ND
Acephate	30	100	42%	ND	Imazalil	30	100	41%	ND
Acequinocyl	30	100	93%	NR	Imidacloprid	30	100	37%	ND
Acetamiprid	30	100	31%	ND	Kresoxim methyl	30	100	42%	ND
Aldicarb	30	100	40%	ND	Malathion	30	100	38%	ND
Azoxystrobin	30	100	38%	ND	Metaxyl	30	100	31%	ND
Bifenazate	30	100	37%	ND	Methiocarb	30	100	37%	ND
Bifenthrin	30	100	64%	208	Methomyl	30	100	33%	ND
Boscalid	30	100	45%	ND	Methyl parathion	30	100	9.8%	NR
Captan	30	100		NR	Mevinphos	30	100		ND
Carbaryl	30	100	35%	ND	MGK-264	30	100		NR
Carbofuran	30	100	34%	ND	Myclobutanil	30	100	46%	ND
Chloranthraniliprole	30	100	58%	ND	Naled	30	100	65%	ND
Chlordane	30	100		NR	Oxamyl	30	100	35%	ND
Chlorfenapyr	30	100	59%	ND	Paclobutrazol	30	100	41%	ND
Chlormequat chloride	30	100	43%	ND	Pentachloronitrobenzene	30	100		NR
Chlorpyrifos	30	100	70%	ND	Permethrin	30	100	64%	ND
Clofentezine	30	100	72%	ND	Phosmet	30	100	42%	ND
Coumaphos	30	100	45%	ND	Piperonyl Butoxide	30	100	58%	ND
Cyfluthrin	30	100	45%	NR	Prallethrin	30	100	49%	ND
Cypermethrin	30	100	60%	ND	Propiconazole	30	100	51%	ND
Daminozide	30	100	50%	ND	Propoxur	30	100	31%	ND
Diazinon	30	100	36%	ND	Pyrethrins	30	100	59%	ND
DDVP (Dichlorvos)	30	100	58%	ND	Pyridaben	30	100	74%	ND
Dimethoate	30	100	28%	ND	Spinetoram	30	100		ND
Dimethomorph	30	100		ND	Spinosad	30	100	64%	ND
Ethoprophos	30	100	35%	ND	Spiromesifen	30	100	61%	ND
Etofenprox	30	100	60%	ND	Spirotetramat	30	100	43%	ND
Etiozole	30	100	76%	ND	Spiroxamine	30	100	37%	ND
Fenhexamid	30	100	46%	ND	Tebuconazole	30	100	47%	ND
Fenoxycarb	30	100	40%	ND	Thiacloprid	30	100	35%	ND
Fenpyroximate	30	100	69%	ND	Thiamethoxam	30	100	39%	ND
Fipronil	30	100	36%	ND	Trifloxystrobin	30	100	41%	ND
Flonicamid	30	100	52%	ND					
Fludioxonil	30	100	41%	ND					

ND = Not Detected; NT = Not Tested; UA = Unsuitable for Analysis; NR = Sample matrix interference present which may affect accuracy of results; LOD = Limit of Detection; LOQ = Limit of Quantitation; P = Pass; F = Fail; RL = Reporting Limit; Values over action limits may be estimates

The reported expanded measurement uncertainty (MU) is stated as the combined standard measurement uncertainty multiplied by a combined measurement uncertainty factor (e.g., $k = 2$) such that the coverage probability corresponds to 95%



Generated By: Cindy Juett
 Business Administrator
 Date: 08/05/2026



Authorized By: Jasper van Heemst
 Assistant Scientific Director
 Date: 07/17/2026



Jellyhole THCA Magno

Sample ID: SA-260805-84670
 Batch: JHMTQ3
 Type: Finished Product - Inhalable
 Matrix: Plant - Preroll
 Unit Mass (g):
 Expiration Date:

Received: 08/04/2026
 Completed: 08/04/2026

Manufacturer
Client

MUNCHIES!
 1327 E. 15th Street #C
 Los Angeles, CA 90021
 USA

Mycotoxins by LC-MS/MS

Analyte	LOD (ppb)	LOQ (ppb)	MU	Result (ppb)
B1	1	5	40%	ND
B2	1	5	49%	ND
G1	1	5	41%	ND
G2	1	5	46%	ND
Ochratoxin A	1	5	46%	ND

ND = Not Detected; NT = Not Tested; UA = Unsuitable for Analysis; NR = Sample matrix interference present which may affect accuracy of results; LOD = Limit of Detection; LOQ = Limit of Quantitation; P = Pass; F = Fail; RL = Reporting Limit; Values over action limits may be estimates

The reported expanded measurement uncertainty (MU) is stated as the combined standard measurement uncertainty multiplied by a combined measurement uncertainty factor (e.g., $k = 2$) such that the coverage probability corresponds to 95%



Generated By: Cindy Juett
 Business Administrator
 Date: 08/05/2026



Tested By: Jasper van Heemst
 Assistant Scientific Director
 Date: 07/17/2026



Jellyhole THCA Magno

Sample ID: SA-260805-84670
 Batch: JHMTQ3
 Type: Finished Product - Inhalable
 Matrix: Plant - Preroll
 Unit Mass (g):
 Expiration Date:

Received: 08/04/2026
 Completed: 08/04/2026

Manufacturer
Client

MUNCHIES!
 1327 E. 15th Street #C
 Los Angeles, CA 90021
 USA

Microbials by PCR and Plating

Analyte	LOD (CFU/g)	MU	Result (CFU/g)	Result (Qualitative)
Total aerobic count	100		25800	
Aspergillus flavus	1			Not Detected per 1 gram
Aspergillus fumigatus	1			Not Detected per 1 gram
Aspergillus niger	1			Detected per 1 gram
Aspergillus terreus	1			Not Detected per 1 gram
Total coliforms	10		<RL	
Generic E. coli	10	69%	ND	
Salmonella spp.	1			Not Detected per 1 gram
Shiga-toxin producing E. coli (STEC)	1			Not Detected per 1 gram
Total yeast and mold count (TYMC)	100	73%	<RL	

ND = Not Detected; NT = Not Tested; UA = Unsuitable for Analysis; NR = Sample matrix interference present which may affect accuracy of results; LOD = Limit of Detection; LOQ = Limit of Quantitation; CFU = Colony Forming Units; P = Pass; F = Fail; RL = Reporting Limit

The reported expanded measurement uncertainty (MU) is stated as the combined standard measurement uncertainty multiplied by a combined measurement uncertainty factor (e.g., $k = 2$) such that the coverage probability corresponds to 95%



Generated By: Cindy Juett
 Business Administrator
 Date: 08/05/2026



Tested By: Sara Cook
 Laboratory Technician
 Date: 07/20/2026



Jellyhole THCA Magno

Sample ID: SA-260805-84670
 Batch: JHMTQ3
 Type: Finished Product - Inhalable
 Matrix: Plant - Preroll
 Unit Mass (g):
 Expiration Date:

Received: 08/04/2026
 Completed: 08/04/2026

Manufacturer
Client

MUNCHIES!
 1327 E. 15th Street #C
 Los Angeles, CA 90021
 USA

Residual Solvents by HS-GC-MS

Analyte	LOD (ppm)	LOQ (ppm)	MU	Result (ppm)	Analyte	LOD (ppm)	LOQ (ppm)	MU	Result (ppm)
Acetone	33	100	59%	ND	Ethylene Oxide	0.5	1	29%	ND
Acetonitrile	14	41	29%	ND	Heptane	33	100	14%	ND
Benzene	0.5	1	21%	ND	n-Hexane	2	6	19%	ND
Butane	33	100	24%	ND	Isobutane	33	100	24%	ND
1-Butanol	167	500	23%	ND	Isopropyl Acetate	167	500	17%	ND
2-Butanol	167	500	21%	ND	Isopropyl Alcohol	167	500	29%	ND
2-Butanone	167	500	15%	ND	Isopropylbenzene	167	500	21%	ND
Chloroform	2	6	13%	ND	Methanol	20	60	17%	ND
Cyclohexane	129	388	16%	ND	2-Methylbutane	10	29	44%	ND
1,2-Dichloroethane	0.5	1	7.7%	ND	Methylene Chloride	20	60	15%	ND
1,2-Dimethoxyethane	4	10	13%	ND	2-Methylpentane	2	6	13%	ND
Dimethyl Sulfoxide	167	500	41%	ND	3-Methylpentane	2	6	15%	ND
N,N-Dimethylacetamide	37	109	23%	ND	n-Pentane	33	100	30%	ND
2,2-Dimethylbutane	2	6	20%	ND	1-Pentanol	167	500	22%	ND
2,3-Dimethylbutane	2	6	15%	ND	n-Propane	33	100	24%	ND
N,N-Dimethylformamide	30	88	28%	ND	1-Propanol	167	500	23%	ND
2,2-Dimethylpropane	167	500	23%	ND	Pyridine	7	20	24%	ND
1,4-Dioxane	13	38	12%	ND	Tetrahydrofuran	24	72	36%	ND
Ethanol	167	500	18%	ND	Toluene	6	18	19%	ND
2-Ethoxyethanol	6	16	20%	ND	Trichloroethylene	3	8	20%	ND
Ethyl Acetate	33	100	13%	ND	Xylenes (o-, m-, and p-)	14	43	21%	ND
Ethyl Ether	167	500	14%	ND					
Ethylbenzene	3	7	21%	ND					

ND = Not Detected; NT = Not Tested; UA = Unsuitable for Analysis; NR = Sample matrix interference present which may affect accuracy of results; LOD = Limit of Detection; LOQ = Limit of Quantitation; P = Pass; F = Fail; RL = Reporting Limit; Values over action limits may be estimates

The reported expanded measurement uncertainty (MU) is stated as the combined standard measurement uncertainty multiplied by a combined measurement uncertainty factor (e.g., k = 2) such that the coverage probability corresponds to 95%



Generated By: Cindy Juett
 Business Administrator
 Date: 08/05/2026



Tested By: Kelsey Rogers
 Senior Scientist
 Date: 07/18/2026



Jellyhole THCA Magno

Sample ID: SA-260805-84670
 Batch: JHMTQ3
 Type: Finished Product - Inhalable
 Matrix: Plant - Preroll
 Unit Mass (g):
 Expiration Date:

Received: 08/04/2026
 Completed: 08/04/2026

Manufacturer
Client

MUNCHIES!
 1327 E. 15th Street #C
 Los Angeles, CA 90021
 USA

Prohibited Substances by HS-GC-MS

Analyte	Result	Unit	LOD	LOQ
2,3-butanedione (Diacyetyl)	ND	ppm	30	100
1,1-dichloroethene	ND	ppm	1	5



Generated By: Cindy Juett
 Business Administrator
 Date: 08/05/2026



Tested By: Kelsey Rogers
 Senior Scientist
 Date: 07/18/2026



Jellyhole THCA Magno

Sample ID: SA-260805-84670
 Batch: JHMTQ3
 Type: Finished Product - Inhalable
 Matrix: Plant - Preroll
 Unit Mass (g):
 Expiration Date:

Received: 08/04/2026
 Completed: 08/04/2026

Manufacturer

Client

MUNCHIES!
 1327 E. 15th Street #C
 Los Angeles, CA 90021
 USA

Vitamin E Acetate

Analyte	Result	Unit	LOD	LOQ
Vitamin E Acetate	ND	%	0.03	0.1



Generated By: Cindy Juett
 Business Administrator
 Date: 08/05/2026



Tested By: Jasper van Heemst
 Assistant Scientific Director
 Date: 07/20/2026



Jellyhole THCA Magno

Sample ID: SA-260805-84670
 Batch: JHMTQ3
 Type: Finished Product - Inhalable
 Matrix: Plant - Preroll
 Unit Mass (g):
 Expiration Date:

Received: 08/04/2026
 Completed: 08/04/2026

Manufacturer

Client

MUNCHIES!
 1327 E. 15th Street #C
 Los Angeles, CA 90021
 USA

Reporting Limit Appendix

Heavy Metals - KY 902 KAR 45:190

Analyte	Limit (ppm)	Analyte	Limit (ppm)
Arsenic	0.2	Lead	0.5
Cadmium	0.2	Mercury	0.1

Microbials - KY 902 KAR 45:190

Analyte	Limit (CFU/g)	Analyte	Limit (CFU/g)
Total coliforms	100	Total aerobic count	10000
Total yeast and mold count (TYMC)	100000		

Residual Solvents - KY 902 KAR 45:190 & USP 467

Analyte	Limit (ppm)	Analyte	Limit (ppm)
Acetone	1000	Ethylene Oxide	1
Acetonitrile	410	Heptane	1000
Benzene	2	n-Hexane	60
Butane	1000	Isobutane	1000
1-Butanol	5000	Isopropyl Acetate	5000
2-Butanol	5000	Isopropyl Alcohol	5000
2-Butanone	5000	Isopropylbenzene	5000
Chloroform	60	Methanol	600
Cyclohexane	3880	2-Methylbutane	290
1,2-Dichloroethane	5	Methylene Chloride	600
1,2-Dimethoxyethane	100	2-Methylpentane	60
Dimethyl Sulfoxide	5000	3-Methylpentane	60
N,N-Dimethylacetamide	1090	n-Pentane	1000
2,2-Dimethylbutane	60	1-Pentanol	5000
2,3-Dimethylbutane	60	n-Propane	1000
N,N-Dimethylformamide	880	1-Propanol	5000
2,2-Dimethylpropane	5000	Pyridine	200
1,4-Dioxane	380	Tetrahydrofuran	720
Ethanol	5000	Toluene	180
2-Ethoxyethanol	160	Trichloroethylene	80
Ethyl Acetate	1000	Xylenes (o-, m-, and p-)	430
Ethyl Ether	5000		
Ethylbenzene	70		

Pesticides - KY 902 KAR 45:190

Analyte	Limit (ppb)	Analyte	Limit (ppb)
Abamectin	500	Hexythiazox	1000
Acephate	400	Imazalil	200
Acequinocyl	2000	Imidacloprid	400
Acetamiprid	200	Kresoxim methyl	400
Aldicarb	400	Malathion	200
Azoxystrobin	200	Metaxyl	200
Bifenazate	200	Methiocarb	200
Bifenthrin	200	Methomyl	400
Boscalid	400	Methyl parathion	200
Captan		Mevinphos	
Carbaryl	200	MGK-264	
Carbofuran	200	Myclobutanil	200
Chloranthraniliprole	200	Naled	500
Chlordane		Oxamyl	1000
Chlorfenapyr	1000	Paclobutrazol	400
Chlorpyrifos	200	Pentachloronitrobenzene	
Clofentezine	200	Permethrin	200
Chlormequat chloride	200	Phosmet	200
Coumaphos		Piperonyl Butoxide	2000
Cyfluthrin	1000	Prallethrin	200
Cypermethrin	1000	Propiconazole	400
Daminozide	1000	Propoxur	200
Diazinon	200	Pyrethrins	1000
DDVP (Dichlorvos)	100	Pyridaben	200
Dimethoate	200	Spinetoram	
Dimethomorph		Spinosad	200
Ethoprophos	200	Spiromesifen	200
Etofenprox	400	Spirotetramat	200
Etoazole	200	Spiroxamine	400
Fenhexamid		Tebuconazole	400
Fenoxycarb	200	Thiacloprid	200
Fenpyroximate	400	Thiamethoxam	200
Fipronil	400	Trifloxystrobin	200
Flonicamid	1000		
Fludioxonil	400		

Mycotoxins - KY 902 KAR 45:190

Analyte	Limit (ppb)	Analyte	Limit (ppb)
B1	5	B2	5
G1	5	G2	5
Ochratoxin A	20		

