Harrens®
Harrens Lab Inc
3507 Breakwater Ave
Hayward, CA 94545

(510) 887-8885
http://www.harrenslab.com
Lic# C8-0000021-LIC
DEA#: RH0490805

JELLY HOLE THCP Tropical Splash

Sample ID: HR20260290825-V2**
Matrix: Plant
Type: Enhanced/Infused Preroll
Sample Size: ; Batch:
Strain: Tropical Splash

Produced:
Collected: 02/18/2026
Received: 02/18/2026
Completed: 02/26/2026
Batch#: JHTHCPTS

Client**
MUNCHIES!
Lic. #
1327 E. 15th Street #C
Los Angeles, Ca 90021

Summary

Test	Date Tested	Result
Batch		Pass
Cannabinoids	02/18/2026	Complete
Moisture	02/19/2026	11.90%
Water Activity	02/19/2026	Pass - 0.56000 aw
Terpenes	02/18/2026	Complete
Residual Solvents	02/18/2026	Pass
Microbials	02/19/2026	Pass
Mycotoxins	02/18/2026	Pass
Pesticides	02/18/2026	Pass
Heavy Metals	02/19/2026	Pass
Foreign Matter	02/18/2026	Pass

Cannabinoids

Complete

ND	7.84%	23.71%
Total THC	Total CBD	Total Cannabinoids

Analyte	LOD	LOQ	Result	Result	Result	Result
	mg/g	mg/g	%	mg/g	mg/unit	mg/serving
THCa	0.20000	0.61000	ND	ND		
Δ9-THC	0.15000	0.45000	ND	ND		
Δ8-THC	0.14000	0.42000	6.57	65.67		
THCV	0.15000	0.44000	ND	ND		
THCp	0.03300	0.10000	0.60	5.96		
CBDa	0.10000	0.31000	7.77	77.67		
CBD	0.15000	0.45000	1.03	10.28		
CBN	0.16000	0.50000	ND	ND		
CBGa	0.29000	0.88000	1.84	18.38		
CBG	0.13000	0.39000	ND	ND		
CBC	0.14000	0.41000	ND	ND		
HHC	0.03300	0.10000	7.09	70.91		
Total THC			**ND**	**ND**	**ND**	**ND**
Total CBD			**7.84**	**78.40**		
Total			**23.71**	**237.06**	**0.00**	**0.00**
Sum of Cannabinoids			**24.89**	**248.87**		

Determination of Cannabinoids by HPLC, HL223
Total THC = Δ9-THCa * 0.877 + Δ9-THC
Total CBD = CBDa * 0.877 + CBD
ND = Not Detected; NR = Not Reported; LOD = Limit of Detection; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. HL105.10-01. Cannabinoid Testing: Pass/Fail decision determined by Department of Cannabis Control CCR title 4 Division 19 §15724. Water activity testing: Pass/Fail decision determined by Department of Cannabis Control CCR title 4 Division 19 §15717.

Ming Li - General Manager
02/26/2026

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com
confident

ISO 17025 accredited by A2LA (Certificate No: 4074.01 & 4074.02). Sampling Procedure: SOP HL 110.2; Foreign Material: UV light/Microscope SOP HL 323, SOP HL 324; Water Activity: Water Activity Meter SOP HL 238; Moisture: Drying Oven SOP HL217.1; All LQC ran in accordance with 4 CCR sec. 15730. This product has been tested by Harrens Lab Inc. using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. Harrens Lab Inc. makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Harrens Lab Inc.

Harrens Lab Inc
3507 Breakwater Ave
Hayward, CA 94545

(510) 887-8885
http://www.harrenslab.com
Lic# C8-0000021-LIC
DEA#: RH0490805

JELLY HOLE THCP Tropical Splash

Sample ID: HR20260290825-V2**
Matrix: Plant
Type: Enhanced/Infused Preroll
Sample Size: ; Batch:
Strain: Tropical Splash

Produced:
Collected: 02/18/2026
Received: 02/18/2026
Completed: 02/26/2026
Batch#: JHTHCPTS

Client**
MUNCHIES!
Lic. #
1327 E. 15th Street #C
Los Angeles, Ca 90021

Terpenes (R&D)

Analyte	LOD	LOQ	Result	Result
	mg/g	mg/g	mg/g	%
δ-Limonene	0.08000	0.1000	3.89	0.389
β-Caryophyllene	0.08000	0.1000	0.89	0.089
β-Pinene	0.08000	0.1000	0.58	0.058
β-Myrcene	0.08000	0.1000	0.34	0.034
γ-Terpinene	0.08000	0.1000	0.26	0.026
α-Humulene	0.08000	0.1000	0.24	0.024
α-Bisabolol	0.08000	0.1000	0.21	0.021
α-Pinene	0.08000	0.1000	0.14	0.014
Linalool	0.08000	0.1000	0.12	0.012
Terpinolene	0.08000	0.1000	0.11	0.011
3-Carene	0.08000	0.1000	ND	ND
α-Terpinene	0.08000	0.1000	ND	ND
β-Ocimene	0.08000	0.1000	ND	ND
Camphene	0.08000	0.1000	ND	ND
Caryophyllene Oxide	0.08000	0.1000	ND	ND
cis-Nerolidol	0.08000	0.1000	ND	ND
Geraniol	0.08000	0.1000	ND	ND
Guaiol	0.08000	0.1000	<LOQ	<LOQ
Isopulegol	0.08000	0.1000	ND	ND
p-Cymene	0.08000	0.1000	ND	ND
trans-Nerolidol	0.08000	0.1000	ND	ND
Total			**6.78**	**0.678**



Primary Aromas

Lemon	Cinnamon	Pine	Hops	Wood

Date Tested: 02/18/2026
ND = Not Detected; NR = Not Reported; LOD = Limit of Detection; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. HL105.10-01. SOP HL228. GC-FID

Ming Li - General Manager
02/26/2026

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com
confident

ISO 17025 accredited by A2LA (Certificate No: 4074.01 & 4074.02). Sampling Procedure: SOP HL 110.2; Foreign Material: UV light/Microscope SOP HL 323, SOP HL 324; Water Activity: Water Activity Meter SOP HL 238; Moisture: Drying Oven SOP HL217.1; All LQC ran in accordance with 4 CCR sec. 15730. This product has been tested by Harrens Lab Inc. using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. Harrens Lab Inc. makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Harrens Lab Inc.

JELLY HOLE THCP Tropical Splash

Sample ID: HR20260290825-V2**
Matrix: Plant
Type: Enhanced/Infused Preroll
Sample Size: ; Batch:
Strain: Tropical Splash

Produced:
Collected: 02/18/2026
Received: 02/18/2026
Completed: 02/26/2026
Batch#: JHTHCPTS

Client**
MUNCHIES!
Lic. #
1327 E. 15th Street #C
Los Angeles, Ca 90021

Pesticides

Pass

Analyte	LOD	LOQ	Limit	Result	Status
	µg/g	µg/g	µg/g	µg/g	
Abamectin	0.02	0.07	0.1	ND	Pass
Acephate	0.02	0.07	0.1	ND	Pass
Acequinocyl	0.03	0.08	0.1	ND	Pass
Acetamiprid	0.02	0.07	0.1	ND	Pass
Aldicarb	0.03	0.08	0.03	ND	Pass
Azoxystrobin	0.02	0.06	0.1	ND	Pass
Bifenazate	0.02	0.07	0.1	ND	Pass
Bifenthrin	0.04	0.11	3	ND	Pass
Boscalid	0.02	0.07	0.1	ND	Pass
Captan	0.06	0.19	0.7	ND	Pass
Carbaryl	0.03	0.08	0.5	ND	Pass
Carbofuran	0.03	0.09	0.03	ND	Pass
Chlorantraniliprole	0.02	0.06	10	ND	Pass
Chlordane	0.03	0.08	0.03	ND	Pass
Chlorfenapyr	0.02	0.07	0.02	ND	Pass
Chlorpyrifos	0.01	0.04	0.01	ND	Pass
Clofentezine	0.03	0.09	0.1	ND	Pass
Coumaphos	0.02	0.07	0.02	ND	Pass
Cyfluthrin	0.02	0.07	2	ND	Pass
Cypermethrin	0.02	0.06	1	ND	Pass
Daminozide	0.02	0.07	0.02	ND	Pass
Diazinon	0.01	0.03	0.1	ND	Pass
Dichlorvos	0.03	0.08	0.03	ND	Pass
Dimethoate	0.02	0.05	0.02	ND	Pass
Dimethomorph	0.03	0.08	2	ND	Pass
Ethoprophos	0.03	0.08	0.03	ND	Pass
Etofenprox	0.02	0.06	0.02	ND	Pass
Etoxazole	0.02	0.07	0.1	ND	Pass
Fenhexamid	0.03	0.09	0.1	ND	Pass
Fenoxycarb	0.02	0.07	0.02	ND	Pass
Fenpyroximate	0.03	0.08	0.1	ND	Pass
Fipronil	0.03	0.08	0.03	ND	Pass
Flonicamid	0.02	0.07	0.1	ND	Pass

Analyte	LOD	LOQ	Limit	Result	Status
	µg/g	µg/g	µg/g	µg/g	
Fludioxonil	0.02	0.07	0.1	ND	Pass
Hexythiazox	0.03	0.09	0.1	ND	Pass
Imazalil	0.03	0.09	0.03	ND	Pass
Imidacloprid	0.03	0.1	5	ND	Pass
Kresoxim Methyl	0.02	0.05	0.1	ND	Pass
Malathion	0.02	0.05	0.5	ND	Pass
Metalaxyl	0.03	0.1	2	ND	Pass
Methiocarb	0.02	0.06	0.02	ND	Pass
Methomyl	0.02	0.07	1	ND	Pass
Mevinphos	0.03	0.08	0.03	ND	Pass
Myclobutanil	0.02	0.06	0.1	ND	Pass
Naled	0.01	0.03	0.1	ND	Pass
Oxamyl	0.03	0.09	0.5	ND	Pass
Paclobutrazol	0.03	0.09	0.03	ND	Pass
Parathion Methyl	0.02	0.07	0.02	ND	Pass
Pentachloronitrobenzene	0.02	0.05	0.1	ND	Pass
Permethrin	0.02	0.07	0.5	ND	Pass
Phosmet	0.03	0.09	0.1	ND	Pass
Piperonyl Butoxide	0.03	0.08	3	ND	Pass
Prallethrin	0.03	0.08	0.1	ND	Pass
Propiconazole	0.03	0.09	0.1	ND	Pass
Propoxur	0.03	0.08	0.03	ND	Pass
Pyrethrins	0.01	0.04	0.5	ND	Pass
Pyridaben	0.03	0.09	0.1	ND	Pass
Spinetoram	0.02	0.07	0.1	ND	Pass
Spinosad	0.03	0.08	0.1	ND	Pass
Spiromesifen	0.03	0.09	0.1	ND	Pass
Spirotetramat	0.02	0.07	0.1	ND	Pass
Spiroxamine	0.03	0.08	0.03	ND	Pass
Tebuconazole	0.03	0.08	0.1	ND	Pass
Thiacloprid	0.02	0.06	0.02	ND	Pass
Thiamethoxam	0.03	0.08	5	ND	Pass
Trifloxystrobin	0.03	0.1	0.1	ND	Pass

Date Tested: 02/18/2026
We analyze samples by AOAC Official Method 2007.01-Modified; ND = Not Detected; NR = Not Reported; LOD = Limit of Detection; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. HL105.10-01. Tested by LC/MS/MS and GC/MS/MS, HL201.2. Pass/Fail decision determined by Department of Cannabis Control CCR title 4 Division 19 §15719.

Ming Li - General Manager
02/26/2026

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com

ISO 17025 accredited by A2LA (Certificate No: 4074.01 & 4074.02). Sampling Procedure: SOP HL 110.2; Foreign Material: UV light/Microscope SOP HL 323, SOP HL 324; Water Activity: Water Activity Meter SOP HL 238; Moisture: Drying Oven SOP HL217.1; All LQC ran in accordance with 4 CCR sec. 15730. This product has been tested by Harrens Lab Inc. using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. Harrens Lab Inc. makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Harrens Lab Inc.

JELLY HOLE THCP Tropical Splash

Sample ID: HR20260290825-V2**
Matrix: Plant
Type: Enhanced/Infused Preroll
Sample Size: ; Batch:
Strain: Tropical Splash

Produced:
Collected: 02/18/2026
Received: 02/18/2026
Completed: 02/26/2026
Batch#: JHTHCPTS

Client**
MUNCHIES!
Lic. #
1327 E. 15th Street #C
Los Angeles, Ca 90021

Residual Solvents

Pass

Analyte	LOD	LOQ	Limit	Result	Status
	µg/g	µg/g	µg/g	µg/g	
1,2-Dichloro-Ethane	0.15	0.45	1	ND	Pass
Acetone	1.62	4.92	5000	5.7	Pass
Acetonitrile	2.14	6.5	410	ND	Pass
Benzene	0.17	0.51	1	ND	Pass
Butane	10.12	30.68	5000	ND	Pass
Chloroform	0.2	0.6	1	ND	Pass
Ethanol	2.73	8.27	5000	<LOQ	Pass
Ethyl-Acetate	1.27	3.86	5000	ND	Pass
Ethyl-Ether	2.88	8.72	5000	ND	Pass
Ethylene Oxide	0.13	0.39	1	ND	Pass
Heptane	1.73	5.25	5000	ND	Pass
Isopropanol	2.03	6.14	5000	124.6	Pass
Methanol	2.26	6.86	3000	10.8	Pass
Methylene-Chloride	0.31	0.94	1	ND	Pass
n-Hexane	3.46	10.5	290	ND	Pass
Pentane	7.88	23.88	5000	52.5	Pass
Propane	7.47	22.62	5000	ND	Pass
Toluene	1.37	4.16	890	ND	Pass
Trichloroethene	0.14	0.44	1	ND	Pass
Xylenes	2.86	8.68	2170	ND	Pass

Date Tested: 02/18/2026
ND = Not Detected; SOP HL231. Headspace GC-FID. Pass/Fail decision determined by Department of Cannabis Control CCR title 4 Division 19 §15718.

Ming Li - General Manager
02/26/2026

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com
confident

ISO 17025 accredited by A2LA (Certificate No: 4074.01 & 4074.02). Sampling Procedure: SOP HL 110.2; Foreign Material: UV light/Microscope SOP HL 323, SOP HL 324; Water Activity: Water Activity Meter SOP HL 238; Moisture: Drying Oven SOP HL217.1; All LQC ran in accordance with 4 CCR sec. 15730. This product has been tested by Harrens Lab Inc. using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. Harrens Lab Inc. makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Harrens Lab Inc.

JELLY HOLE THCP Tropical Splash

Sample ID: HR20260290825-V2**
Matrix: Plant
Type: Enhanced/Infused Preroll
Sample Size: ; Batch:
Strain: Tropical Splash

Produced:
Collected: 02/18/2026
Received: 02/18/2026
Completed: 02/26/2026
Batch#: JHTHCPTS

Client**
MUNCHIES!
Lic. #
1327 E. 15th Street #C
Los Angeles, Ca 90021

Microbials

Pass

Analyte	Result	Status
Aspergillus flavus	Not Detected in 1g	Pass
Aspergillus fumigatus	Not Detected in 1g	Pass
Aspergillus niger	Not Detected in 1g	Pass
Aspergillus terreus	Not Detected in 1g	Pass
Shiga Toxin-producing E. coli	Not Detected in 1g	Pass
Salmonella spp.	Not Detected in 1g	Pass

Date Tested: 02/19/2026
NR = Not Reported;Aerobic Bacteria refers to Aerobic Plate Count, we analyze by method FDA BAM Jan 2001, Chapter 3. E.coli refers to E.coli Plate Count, we analyze by method FDA BAM Jan 2001, Chapter 4. Coliforms refers to Coliform Plate Count, we analyze by method FDA BAM Jan 2001, Chapter 4. Salmonella analysis method by Compact Dry SL, Hardy Diagnostics. Visual Mold inspection by UV light. 1= Mold Present, 0=Mold Not Present. Yeast and Mold Plate count method by AOAC no. 100401 or FDA BAM Jan 2001, Chapter 18. HL105.10-01. Salmonella and STEC: SOP HL 316. Aspergillus sp.: SOP HL311.2 (modified) & SOP HL 317. Microbial Testing: Pass/Fail decision determined by Department of Cannabis Control CCR title 4 Division 19 §15720 and §15722.

Mycotoxins

Pass

Analyte	LOD	LOQ	Limit	Result	Status
	µg/kg	µg/kg	µg/kg	µg/kg	
Aflatoxin B1	1.1	3.4		ND	Tested
Aflatoxin B2	1.3	4		ND	Tested
Aflatoxin G1	2.8	8.4		ND	Tested
Aflatoxin G2	1.4	4.2		ND	Tested
Total Aflatoxins	6.6	20	20	ND	Pass
Ochratoxin A	2.8	8.4	20	ND	Pass

Date Tested: 02/18/2026
SOP HL 240. Total Aflatoxins = Aflatoxin B1 + Aflatoxin B2 + Aflatoxin G1 + Aflatoxin G2. Each aflatoxin is tested individually. HL241. Tested by LC/MS/MS, HL201.2. Pass/Fail decision determined by Department of Cannabis Control CCR title 4 Division 19 §15721.

Heavy Metals

Pass

Analyte	LOD	LOQ	Limit	Result	Status
	µg/g	µg/g	µg/g	µg/g	
Arsenic	0.059	0.179	0.2	ND	Pass
Cadmium	0.005	0.014	0.2	ND	Pass
Lead	0.055	0.168	0.5	ND	Pass
Mercury	0.005	0.017	0.1	ND	Pass

Date Tested: 02/19/2026
SOP HL 237. Tested by Atomic Fluorescence Spectrometry, HL237. Pass/Fail decision determined by Department of Cannabis Control CCR title 4 Division 19 §15723.

Ming Li - General Manager
02/26/2026

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com
confident

ISO 17025 accredited by A2LA (Certificate No: 4074.01 & 4074.02). Sampling Procedure: SOP HL 110.2; Foreign Material: UV light/Microscope SOP HL 323, SOP HL 324; Water Activity: Water Activity Meter SOP HL 238; Moisture: Drying Oven SOP HL217.1; All LQC ran in accordance with 4 CCR sec. 15730. This product has been tested by Harrens Lab Inc. using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. Harrens Lab Inc. makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Harrens Lab Inc.