

Delta Munchies Peach Rings (20 mg Delta 8)



Delta Munchies

941 S Vermont St.
Los Angeles, CA 90016
www.deltamunchies.com



Order ID#: 20210701-992
Lab Code#: LC-20210701-2655
Product Type: Edible
Serving size (g)*: 9.3665
Servings per unit: 10
Lot/Batch: NA

Sample date: 29-Jun-2021
Date received: 1-Jul-2021
Completed: 26-Jul-2021
Report expires: 26-Jul-2022

SAFETY ANALYSIS


Microbials PASS	Mycotoxins PASS	Pesticides PASS	Metals PASS	Solvents PASS
----------------------------------	----------------------------------	----------------------------------	------------------------------	--------------------------------

CANNABINOIDS

Analysis Batch: WO-21070118A
Analysis Date: Friday, July 23, 2021
Test Method: SOP 6.6
Instrument: Agilent HPLC, Instrument 33

Analyte	% ^a	mg/g	mg/serving	mg/unit
THCA-A	ND	ND	ND	ND
Δ9-THC	0.0495	0.4954	4.640	46.4
CBDA	ND	ND	ND	ND
CBD	ND	ND	ND	ND
CBN	ND	ND	ND	ND
CBDV	ND	ND	ND	ND
Δ8-THC	0.259	2.595	24.30	243.0
THCV	ND	ND	ND	ND
CBG	ND	ND	ND	ND
CBGA	ND	ND	ND	ND
CBC	ND	ND	ND	ND
Total THC:	0.0495	0.4954	4.640	46.4
Total CBD:	ND	ND	ND	ND
Total:	0.309	3.090	28.94	289

Profile (mg/serving)



^a Detection Level = 0.03% by weight.
^b Total THC = THC + (THCA × 0.877).
^c Total CBD = CBD + (CBDA × 0.877).
^d Absolute sum of cannabinoids >LOD.

Comments:

* Weight uniformity:
Average weight of 10 edibles.



Authorization

Steven Perez, Laboratory Director
Approval Date: 26-Jul-2021

Test results are based solely upon the test article submitted to Americanna Laboratories, LLC in the condition it was received. Americanna Laboratories, LLC warrants that all analytical work was conducted in a professional manner in accordance with the requirements of ISO/IEC 17025:2017, such as comparison to Certified Reference Materials and NIST traceable Reference Standards. This report shall not be reproduced, except in its entirety, without the written approval of Americanna Laboratories, LLC. Test results are confidential unless explicitly waived. Void after 1 year from test end date.

ND=Not Detected, NT=Not Tested, ppm=Parts Per Million, ppb=Parts Per Billion. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be reliably measured by an analytical procedure.

- continued -

Delta Munchies Peach Rings (20 mg Delta 8)

PESTICIDES

Analyte	Action Level	Result (µg/g)
Abamectin	0.30	ND - Pass
Acephate	3.00	ND - Pass
Acequinocyl	2.00	ND - Pass
Acetamiprid	3.00	ND - Pass
Aldicarb	0.10	ND - Pass
Azoxystrobin	3.00	ND - Pass
Bifenazate	3.00	ND - Pass
Bifenthrin*	0.50	ND - Pass
Boscalid*	3.00	ND - Pass
Captan	3.00	ND - Pass
Carbaryl	0.50	ND - Pass
Carbofuran	0.10	ND - Pass
Chlorantraniliprole	3.00	ND - Pass
Chlordane*	0.10	ND - Pass
Chlorfenapyr	0.05	ND - Pass
Chlormequat chloride	3.00	ND - Pass
Chlorpyrifos*	0.10	ND - Pass
Clofentazine	0.50	ND - Pass
Coumaphos	0.10	ND - Pass
Cyfluthrin*	1.00	ND - Pass
Cypermethrin*	1.00	ND - Pass
Daminozide	0.10	ND - Pass
Diazinon	0.20	ND - Pass
Dichlorvos	0.10	ND - Pass
Dimethoate	0.10	ND - Pass
Dimethomorph (I/II)	3.00	ND - Pass
Ethoprophos	0.10	ND - Pass
Etofenprox	0.10	ND - Pass
Etoxazole	1.50	ND - Pass
Fenhexamid	3.00	ND - Pass
Fenoxycarb	0.10	ND - Pass
Fenpyroximate	2.00	ND - Pass
Fipronil	0.10	ND - Pass
Fonicamid	2.00	ND - Pass

Analyte	Action Level	Result (µg/g)
Fludioxonil	3.00	ND - Pass
Hexythiazox	2.00	ND - Pass
Imazalil	0.10	ND - Pass
Imidacloprid	3.00	ND - Pass
Kresoxim methyl	1.00	ND - Pass
Malathion	2.00	ND - Pass
Metaxalyl	3.00	ND - Pass
Methiocarb	0.10	ND - Pass
Methomyl	0.10	ND - Pass
Methyl parathion*	0.10	ND - Pass
Mevinphos (I/II)	0.10	ND - Pass
Myclobutanil	3.00	ND - Pass
Naled	0.50	ND - Pass
Oxamyl	0.50	ND - Pass
Paclobutrazol	0.10	ND - Pass
Pentachloronitrobenzer	0.20	ND - Pass
Permethrin*	1.00	ND - Pass
Phosmet	0.20	ND - Pass
Piperonyl butoxide	3.00	ND - Pass
Prallethrin	0.40	ND - Pass
Propiconazole	1.00	ND - Pass
Propoxur	0.10	ND - Pass
Pyrethrins	1.00	ND - Pass
Pyridaben	3.00	ND - Pass
Spinetoram (J/L)	3.00	ND - Pass
Spinosad A + D	3.00	ND - Pass
Spiromesifen	3.00	ND - Pass
Spirotetramat	3.00	ND - Pass
Spiroxamine (I/II)	0.10	ND - Pass
Tebuconazole	1.00	ND - Pass
Thiacloprid	0.10	ND - Pass
Thiamethoxam	1.00	ND - Pass
Trifloxystrobin	3.00	ND - Pass

* Denotes analysis by GC-MS/MS

Analysis Batch: WO-21071603
Analysis Date (LC): Monday, July 19, 2021
Analysis Date (GC): Monday, July 19, 2021

Test Method: SOP 6.7
Instrument: Agilent LC-MS/MS, Instrument 32
Instrument: Agilent GC-MS/MS, Instrument 34

MYCOTOXINS

Analyte	Action Limit	Result	Report	LOD	Unit
Aflatoxin, Total	0.020	ND	Pass	0.005	µg/g
Ochratoxin A	0.020	ND	Pass	0.005	µg/g

* Total Aflatoxin includes B1, B2, G1 and G2.

Analysis Batch: WO-21071603
Analysis Date: Monday, July 19, 2021

Test Method: SOP 6.7
Instrument: Agilent LC-MS/MS, Instrument 32

Comments:

None.

Authorization



Steven Perez, Laboratory Director

Approval Date: 26-Jul-2021

Test results are based solely upon the test article submitted to Americanna Laboratories, LLC in the condition it was received. Americanna Laboratories, LLC warrants that all analytical work was conducted in a professional manner in accordance with the requirements of ISO/IEC 17025:2017 (#102139), such as comparison to Certified Reference Materials and NIST traceable Reference Standards. This report shall not be reproduced, except in its entirety, without the written approval of Americanna Laboratories, LLC. Test results are confidential unless explicitly waived. Void after 1 year from test end date.

NA=Not Available or Applicable, ND=Not Detected, NT=Not Tested, ppm=Parts Per Million, ppb=Parts Per Billion. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be reliably measured by an analytical procedure.

- continued -

Delta Munchies Peach Rings (20 mg Delta 8)

WATER DETERMINATIONS

Water Activity		% Moisture	
Analysis Batch:	WO-21071606	Analysis Batch:	WO-21071606
Analysis Date:	16-Jul-2021	Analysis Date:	16-Jul-2021
Result:	0.7089	Result:	2.85%
Instrument:	I40	Instrument:	E15

RESIDUAL SOLVENTS

Analyte	Action Level	Result (µg/g)	Analyte	Action Level	Result (µg/g)
1,2-Dichloroethane	5	ND - Pass	Heptane	5000	ND - Pass
Acetone	5000	ND - Pass	Hexane	290	ND - Pass
Acetonitrile	410	ND - Pass	Isopropyl Alcohol	500	ND - Pass
Benzene	2	ND - Pass	Methanol	3000	ND - Pass
Butane	2000	ND - Pass	Methylene Chloride	600	ND - Pass
Chloroform	60	ND - Pass	Pentane	5000	ND - Pass
Ethanol	5000	ND - Pass	Propane	2100	ND - Pass
Ethyl Acetate	5000	ND - Pass	Toluene	890	ND - Pass
Ethyl Ether	5000	ND - Pass	Trichloroethylene	80	ND - Pass
Ethylene Oxide	5	ND - Pass	Xylenes, Total	2170	ND - Pass

LOD = 20 µg/g

Analysis Batch:	WO-21071604	Test Method:	SOP 6.8
Analysis Date:	Saturday, July 17, 2021	Instrument:	Agilent GC-FID/MS, Instrument 36

MICROBIAL CONTAMINANTS

Test	Report	Result	Specification	Unit
Shiga toxin-producing E.coli (STEC)	Pass	Absent	Report	per 1 gram
Salmonella	Pass	Absent	Report	per 1 gram
Listeria	Pass	Absent	Report	per 1 gram

Analysis Batch:	WO-21071602	Test Method:	SOP 6.11 (qPCR)
Analysis Date:	Tuesday, July 20, 2021	Instrument:	Agilent AriaMX, Instrument 43

HEAVY METALS

Element	Report	Result	Action Limit	LOD	Unit
Lead	Pass	ND	0.50	0.050	µg/g
Arsenic	Pass	ND	1.5	0.050	µg/g
Mercury	Pass	ND	3.0	0.005	µg/g
Cadmium	Pass	ND	0.50	0.050	µg/g

Analysis Batch:	WO-21071605	Test Method:	SOP 6.10
Analysis Date:	Tuesday, July 20, 2021	Instrument:	Agilent ICP/MS, Instrument 37

Comments:

None.

Authorization



Steven Perez, Laboratory Director

Approval Date: 26-Jul-2021

Test results are based solely upon the test article submitted to Americanna Laboratories, LLC in the condition it was received. Americanna Laboratories, LLC warrants that all analytical work was conducted in a professional manner in accordance with the requirements of ISO/IEC 17025:2017 (#102139), such as comparison to Certified Reference Materials and NIST traceable Reference Standards. This report shall not be reproduced, except in its entirety, without the written approval of Americanna Laboratories, LLC. Test results are confidential unless explicitly waived. Void after 1 year from test end date.

NA=Not Available or Applicable, ND=Not Detected, NT=Not Tested, ppm=Parts Per Million, ppb=Parts Per Billion. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be reliably measured by an analytical procedure.

- end of report -