1 of 1

**KCA Laboratories** 232 North Plaza Drive Nicholasville, KY 40356

+1-833-KCA-LABS https://kcalabs.com KDA Lic.# P\_0058

## Lil Ripper THC-A Blueberry Fuego

Sample ID: SA-240918-48846 Batch: LRTHCA002 Type: Finished Product - Inhalable Matrix: Concentrate - Distillate

Unit Mass (g):

Received: 09/20/2024 Completed: 10/01/2024



Summary

Cannabinoids

**Date Tested** 10/01/2024

Status Tested

0.0955 % Δ9-ΤΗС

**52.6** % (6aR,9R,10aR)-HHC

97.8 % **Total Cannabinoids**  **Not Tested** 

Moisture Content

**Not Tested** 

Foreign Matter

Yes

Internal Standard Normalization

## Cannabinoids by GC-MS/MS

Analyte	LOD (%)	LOQ (%)	Result (%)	Result (mg/g)
CBC	0.0095	0.0284	ND	ND
CBCV	0.006	0.018	ND	ND
CBD	0.0081	0.0242	ND	ND
CBDV	0.0061	0.0182	ND	ND
CBG	0.0057	0.0172	ND	ND
CBL	0.0112	0.0335	ND	ND
CBN	0.0056	0.0169	0.0403	0.403
CBT	0.018	0.054	ND	ND
Δ8-ΤΗС	0.0104	0.0312	ND	ND
Δ9-ΤΗС	0.0076	0.0227	0.0955	0.955
Δ9-ΤΗCΑ	0.0084	0.0251	23.3	233
Δ9-THCV	0.0069	0.0206	ND	ND
(6aR,9R,10aR)-HHC	0.0067	0.02	52.6	526
(6aR,9S,10aR)-HHC	0.0067	0.02	21.7	217
Total Δ9-THC			20.6	206
Total			97.8	978

ND = Not Detected; NT = Not Tested; LOD = Limit of Detection; LOQ = Limit of Quantitation; RL = Reporting Limit;  $\Delta$  = Delta; Total  $\Delta$ 9-THC =  $\Delta$ 9-THC4 \* 0.877 +  $\Delta$ 9-THC; Total CBD = CBDA \* 0.877 + CBD;

Tested By: Scott Caudill Laboratory Manager Date: 10/01/2024







Generated By: Ryan Bellone CCO

Accreditation #108651 Date: 10/01/2024 This product or substance has been tested by KCA Laboratories using validated testing methodologies and an ISO/IEC 170252017 accredited quality system. Values reported relate only to the product or substance tested. The reported result is based on a sample weight. Unless otherwise stated, results of tests performed on all quality control samples met criteria for acceptance established by KCA Laboratories. KCA Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected amounts of any substances reported herein. This Certificate of Analysis shall not be reproduced except in full, without the written approval of KCA Laboratories KCA Laboratories and provide measurement uncertainty upon request.